

Modeling the Adaptation of Search Termination in Human Decision Making

Michael D. Lee

University of California, Irvine

Ben R. Newell

University of New South Wales

Joachim Vandekerckhove

University of California, Irvine

We study how people terminate their search for information when making decisions in a changing environment. In 3 experiments, differing in the cost of search, participants made a sequence of 2-alternative decisions, based on the information provided by binary cues they could search. Whether limited or extensive search was required to maintain accurate decisions changed across the course of the experiment, but was not indicated to participants. We find large individual differences but that, in general, the extent of search is changed in response to environmental change, and is not necessarily triggered by a reduction in accuracy. We then examine the ability of 4 models to account for individual participant behavior, using a generalization measure that tests model predictions. Two of the models use reinforcement learning, and differ in whether they use error or both error and effort signals to control how many cues are searched. The other 2 models use sequential sampling processes, and differ in the regulatory mechanisms they use to adjust the decision thresholds that control the extent of search. We find that error-based reinforcement learning is usually an inadequate account of behavior, especially when search is costly. We also find evidence in the model predictions for the use of confidence as a regulatory variable. This provides an alternative theoretical approach to balancing error and effort, and highlights the possibility of hierarchical regulatory mechanisms that lead to delayed and abrupt changes in the extent of search.

Keywords: termination of search, dynamic environments, adaptation and regulation, reinforcement learning model, sequential sampling models

Search is a fundamental cognitive ability. People and animals have always needed to search their environment for basic needs like food, mates, and safety. More recently, people have needed to search their external information environment, to find out whether employers are recruiting new workers, if a curtain is available in an acceptable color, how humid potential

holiday destinations are forecast to be, and what features are available on a smart-phone. In addition, people have always needed to search their internal environments, containing their knowledge and memories. Retrieving, recalling and reconstructing information from memory is a basic precursor to much of human thinking, decision making, and action. There is a large

Michael D. Lee, Department of Cognitive Sciences, University of California, Irvine; Ben R. Newell, School of Psychology, University of New South Wales; Joachim Vandekerckhove, Department of Cognitive Sciences, University of California, Irvine.

We are grateful to Jerome Busemeyer, Jörg Rieskamp, Peter Todd, and an anonymous reviewer for helpful comments on an earlier version of this article. We also thank Chris Moore for assistance in data collection. Michael D. Lee and Ben R. Newell acknowledge support from Australian Research Council Grant DP110100797,

Ben R. Newell acknowledges support from Australian Research Council Grant FT110100151, Michael D. Lee acknowledges support from the Air Force Office of Scientific Research FA9550-11, and Joachim Vandekerckhove acknowledges support from NSF Grant #1230118 (MMS).

Correspondence concerning this article should be addressed to Michael D. Lee, Department of Cognitive Sciences, University of California, Irvine, Irvine, CA 92697-5100. E-mail: mdlee@uci.edu

literature on human and animal behavior in foraging, mate search, visual search, information search, and memory retrieval in addressing how people and animals search their external and internal environments. A recent overview of these disparate but related areas is provided by Todd, Hills, and Robbins (2012).

A pervasive characteristic of both external physical and information environments, and internal knowledge and memory environments, is that they are changeable. Seasons change, adversaries move, companies start and stop recruiting, features are added to phones, new facts are learned, and experienced events are forgotten. Finding relevant information is challenging enough in static environments, but becomes much harder in dynamically changing environments. There is a large literature on animal and human behavior in dynamic environments, measuring experimentally how changes are detected and environments monitored, and attempting to understand the learning and adaptation processes underlying decision making (e.g., Biernaskie, Walker, & Gegeer, 2009; Brown & Steyvers, 2005; Eliassen, Jørgensen, Mangel, & Giske, 2009; Gallistel, Fairhurst, & Balsam, 2004; Marshall, Carter, Ashford, Rowcliffe, & Cowlshaw, 2013; Nassar et al., 2012; Otto, Gureckis, Markman, & Love, 2010; Speekenbrink & Shanks, 2010).

Understanding the intersection of these two areas—the basic cognitive capability of search and the inherent changeability of search environments—is a difficult problem in cognitive modeling. It addresses the question of how people learn, adapt and regulate the way in which they search, simultaneously finding the information they need to make decisions and act, while evaluating and modifying the effectiveness of those search processes as the environment shifts. This raises questions of how people monitor changing environments, how they make predictions about the information they will find, how they make inferences about what information they could find, and how they adapt their search processes accordingly. Put simply, the general challenge is to understand how people adapt their search in dynamic environments.

In this article, we consider one limited but important part of the general challenge. Whereas a body of previous work has focused on the order in which people search for information (e.g., Garca-Retamero, Takezawa, &

Gigerenzer, 2009; Garca-Retamero, Takezawa, Woike, & Gigerenzer, 2013; Newell, Rakow, Weston, & Shanks, 2004; Rakow, Newell, Fayers, & Hersby, 2005; Todd & Dieckmann, 2005), we focus on how people adapt the *termination* of their search. It is often possible to continue to search, and it is often not obvious when enough information, or the right sort of information, has already been found. When people make decisions about how many job listings to check, how many curtains to look at, how many holiday destinations to consider, and how many features to evaluate on a phone, they are making decisions about when to terminate their search. As an environment changes, different termination decisions may be needed. Job seeking is different depending on whether many or a few jobs are available, and if makers of smart phones introduce a few new “must have” features, there may be no need to evaluate the other features of a phone that is missing these crucial elements.

The cognitive modeling problem of understanding how people adapt their termination of search can be approached from a number of theoretical perspectives. One approach involves assuming there is an internal competition between multiple decision processes. Many models of adaptive decision making adopt this general and powerful approach (e.g., Busemeyer & Myung, 1992; Erev & Barron, 2005). The approach can be naturally applied to the problem of modeling the adaptive termination of search, by considering competing heuristic decision strategies with different search termination properties. A good example of this approach is provided by the strategy selection learning (SSL; Rieskamp & Otto, 2006) model, in which reinforcement learning controls which of two different heuristics are applied over a sequence of decision-making trials. One of these heuristics is take-the-best (TTB; Gigerenzer & Goldstein, 1996), which terminates search as soon as evidence that discriminates between the choice alternatives is found. The other heuristic is the weighted additive heuristic (WADD; Payne, Bettman, & Johnson, 1990), which assumes all of the available information is searched. Thus, the SSL model provides an account of when and why people switch between limited “one-reason” search and exhaustive search of their decision-making environment.

Another theoretical perspective is provided by sequential sampling models of the time course of decision making. These models have their origins in stimulus sampling processes that naturally correspond to information search. The basic assumption is that people sample information from stimuli, accumulating the evidence they provide for alternative decisions, until a sufficient threshold level of evidence has been reached to make one of these decisions. There are many sorts of sequential sampling models, making different assumptions about how information is sampled and accrued, and their development and evaluation is a long-standing and currently active cognitive modeling research area (e.g., Bogacz, Brown, Moehlis, Holmes, & Cohen, 2006; Brown & Heathcote, 2008; Link & Heath, 1975; Ratcliff, 1978; Ratcliff & McKoon, 2008; Vickers, 1979).

The termination of search is naturally addressed within the sequential sampling framework; it is controlled by how thresholds are set, used, and adapted. The speed–accuracy trade-off, perhaps the most basic issue in search termination, is controlled by setting thresholds, and empirical success in capturing this behavior is seen throughout the modeling literature. It has also been shown that setting thresholds in sequential sampling models can make them behaviorally equivalent to some of the most important heuristic models (Lee & Cummins, 2004; Newell, 2005; Newell & Lee, 2011). When the threshold of evidence needed to make a decision is low, sequential sampling models mimic one-reason decision-making heuristics like TTB. When the threshold is very high, sequential sampling models conduct exhaustive search, and mimic tallying heuristics, like WADD, that use all the available features, cues or information.

There is far less work on developing sequential sampling models that allow for the adaptation of search. This extension requires learning rules that specify how thresholds are adjusted within or between decision-making trials, and the ability to detect changes in the environment. Simen, Cohen, and Holmes (2006) develop a candidate model that uses reinforcement learning methods to change the thresholds on a drift-diffusion sequential sampling model, in a way that is sensitive to the reward rates and payoff structures in the decision-making environment. Busemeyer and Rapoport (1988) present a se-

ries of experiments and models that also address the issue of the extent of search within a sequential sampling framework. They consider different payoff structures, and compare various sequential sampling models of evidence accumulation, as well as different heuristic strategies, as accounts of human and optimal behavior. The changes in the environment demand different levels in the extent of search, directly addressing the problem we tackle. The models evaluated by Busemeyer and Rapoport (1988) do not, however, extend as far as providing a learning or adaptation mechanism for the trial-by-trial change in thresholds of evidence accumulation. And, as with Simen et al. (2006), the focus remains on accuracy, reward, and payoff as the determinants of when and why people should terminate search.

It seems unlikely, however, that animals and people adapt how much they search based solely on externally observable accuracy and immediate reward and payoff (Kheifets & Galistel, 2012; Marshall et al., 2013). Many decisions involving search, and requiring the termination of search, do not provide immediate corrective feedback, and so the accuracy of decision making is not available. The environment does not usually send a signal indicating whether a better food source could have been found by more extensive foraging. Relatedly, many decisions regarding search, even good ones, do not necessarily provide clear immediate reward. Changing how extensively applicants are vetted for recruiting may have nonobvious consequences that are not realized for many years.

One way to deal with the inadequacy of observed accuracy or reward as a signal for adapting search is to introduce additional useful signals. The SSL model (Rieskamp & Otto, 2006) considers signals based on effort, motivated by the idea that people are motivated not just to be accurate and obtain rewards, but also to expend as little effort as possible. The use of an effort signal marks an important theoretical shift toward allowing internally generated, rather than environmentally provided, measures of performance to guide the adaptation of search. The sequential sampling framework allows for learning, adaptation or self-regulation mechanisms for thresholds that are based on internally generated measures of performance. The best developed model using this approach is the self-

regulating accumulator (SRA; [Vickers, 1979](#)), which relies on internally generated measures of confidence, rather than external measures of accuracy, to adapt thresholds and control the extent of search.

Our goal in this article is to examine how people adapt when they terminate search in changing environments. Empirically, we are interested both in situations where it is likely changes in accuracy will signal the change in environment and in situations where it is unlikely accuracy will be affected by environmental change. Thus, we make an empirical contribution by conducting a series of experiments measuring how people regulate their search from trial to trial in changing environments, under conditions in which information is more or less easy to obtain. Theoretically, we are interested in both simple heuristic decision rules and sequential sampling models, as well as adaption based on both external signals like error-correction and internal signals like confidence. We develop a series of reinforcement learning and sequential sampling models, and evaluate them against our data. Our findings make a theoretical contribution, because the differences between the models correspond to different theoretical assumptions about how people terminate their search, and how they adapt that termination process. Our evaluation of the models against the data relies on a powerful, but underused, approach based on generalization tests ([Busemeyer & Wang, 2000](#)), which examine how well a model predicts data in a task setting that is different from the one used to infer its parameter values. In this way, we also provide a methodological contribution, providing a case study of how generalization tests can be applied to evaluate cognitive models.

The article is organized as follows. In the next section, we describe a series of three experiments measuring how people terminate their search, and change their termination of search, in changing environments. The different experiments use the same task and environments, but manipulate the costs and incentives involved in limited and expansive search strategies. We report basic empirical results for all of these experiments, including examining individual differences. We then develop a sequence of four models that make a natural theoretical progression, and evaluate them against the em-

pirical data. The first model is a basic reinforcement learning heuristic that only adapts when errors are made; the second model is a reinforcement learning heuristic that is sensitive to both errors and effort; the third model is a sequential sampling model that is sensitive to both error and effort through the unifying mechanism provided by confidence; and the final model is a hierarchical extension of this sequential sampling model closely related to the established SRA model. We evaluate the usefulness of these models in describing, explaining and predicting the empirical data, and discuss the implications of our findings for future empirical and theoretical development.

Experiments

The experimental task was designed to meet two guiding principles. First, we wanted to include two kinds of changes in the statistical structure across trials, both requiring changes in how people terminated search, but with only one likely to be signaled by a change in accuracy. Second, we wanted to be able to make fine-grained trial-by-trial measures of the extent to which people searched, so that we could quantify how they terminated search. To achieve these aims we designed a task in which participants answered a series of 200 two-alternative forced choice multiattribute decision problems. Using a standard approach, the task involved deciding which of two objects was higher on a particular criterion. To make a decision, participants could access information from a minimum of one and a maximum of nine cues on each trial. These cues provided binary information about each object in the current trial pair. The dependent measure of interest, assessing when participants terminated their search, is quantified in terms of how many cues participants examine before making a decision on each trial. Environmental change was implemented by changing the sort of stimuli presented for different sequences of trials, so that more or less search was required to make accurate decisions.

Method

Participants. A total of 94 undergraduate students (Experiment 1, $N = 30$; Experiment 2, $N = 36$; Experiment 3, $N = 28$) from the University of New South Wales participated in

return for course credit and, in Experiment 3 only, performance related pay. We aimed to recruit 30 participants in each experiment and set a 2-week window per experiment for data collection. We stopped when that period was over, regardless of whether we had exceeded or fallen short of our target. No participant completed more than one experiment.

Stimuli. The experimental environment was created by selecting pairs of objects from the widely studied German cities environment developed by Gigerenzer and Goldstein (1996). In the original environment, the objects correspond to German cities, the criterion is the population of each city, and the nine cues correspond to features like “is a state capital” and “has a team in the Bundesliga.” We redescribed the objects as soil samples, the criterion as the energy efficiency of the samples, and the cues as the binary results of tests of the soil samples like “contains Actinium” and “seismic analysis is positive.” Each cue is naturally associated with a cue validity, which is the proportion of times it indicates the correct decision when it discriminates between objects. In our energy task redescription, the cue validities of 99%,

91%, 87%, 78%, 77%, 75%, 71%, 56%, and 51% correspond to the nine tests.

Procedure. A schematic presentation of the experimental task is shown in Figure 1. Each trial requires the participant to make a decision about which of two soil samples is the more energy efficient fuel source. The stimuli are always represented in terms of the same cues, with the same validities, but whether each cue is present or absent for each stimulus varied trial to trial. To search the soil test cue information, participants could click a “Run Test” button, and reveal this binary information. Participants had to run at least one test per trial, but were free to choose as many as they liked after that, before making their decision. The order in which tests could be run was fixed according to the cue validities, which were displayed beside the cue names.

The information about each test was presented on screen and was described to participants as follows: “If a test has a success of 75% this means that if there were 100 trials in which one sample had a positive result (YES) for that test and the other sample had a negative result (NO) for that test, then the sample with the




Figure 1. Schematic presentation of the experimental task, and the assessment of participants’ performance. On each trial, a sequence of binary cues can be searched in a fixed order. When search is terminated, a decision is made, and feedback is provided. The accuracy of decisions, and the extent of search—measured in terms of the proportion of cues beyond the first discriminating cue—are taken as measures of decision-making and search behavior. The dashed-line box highlighting the first discriminating cue, and the sequence showing the proportion of extra cues measure (“0/6,” “1/6,” “6/6”), are included for explanation, but are not part of the experimental interface. See the online article for the color version of this figure.

positive result would be the correct choice (be richer in the energy source) on 75 of those 100 cases, whereas for the remaining 25 cases the other sample would have been richer in the energy source” (cf. Rieskamp & Otto, 2006). Following each decision feedback was provided, and a record of how many correct decisions had been made was shown on the screen throughout the experiment.

The experiment had a total of 200 trials which were subdivided into three blocks of 50, 100 and 50 trials respectively. These subdivisions were not made explicit to the participants—from their perspective the experiment ran continuously from Trial 1 to 200—but corresponded to change points in the statistical structure of the underlying environment. The experimental design is shown schematically in Figure 2. In the first block of 50 trials, participants learned in an environment in which the first discriminating cue always gave the correct answer. In the second block from Trials 51 to 150, the first discriminating cue provided no information, corresponding to the correct answer on exactly half of the trials. In the third block from Trials 151 to 200, as for the first block, the first discriminating cue always corresponded to the correct answer. Throughout all 200 trials, exhaustive search of all the cues, and the rational combination of the evidence they provided, always corresponded to the correct answer.¹ Thus, overall, the three blocks correspond to a first stage in which either limited or exhaustive search will lead to accurate decisions, a second block in which only exhaustive search is required, and a final block in which again either limited or exhaustive search will be effective.

The same 200-trial task was used in three separate experiments, which manipulated the costs and benefits related to information search. In Experiment 1 there was no time cost, and participants could run the tests to reveal information as quickly as they liked. In Experiment 2 there was a time cost to running each test. Specifically, participants had to wait for 3 s for the result of each test to be displayed on the screen. During this time a message with the words “Computer now running test” appeared on the screen. In Experiment 3, participants played for points that could be converted to dollars at the end of the experiment (100 points = AUD\$0.05). Participants were given

2,000 points at the start of the experiment and could earn 70 points on each trial for a correct answer. However, each decision incurred a handling fee cost of 34.5 points. In addition, in the first and third blocks, clicking on each information button incurred a cost of 3 points. This cost structure combined with the changes in the statistical structure of the underlying environment encouraged limited search in the first and third blocks, and more extensive search in the second block. A reminder of the handling fee and reward was displayed on-screen throughout the experiment. Participants were told at the start of the experiment that on some trials they might need to pay for information. Trials that incurred costs were indicated on screen with a points-cost indicator next to each test button. At the conclusion of the experiment, a final score was displayed, and participants were debriefed and paid a cash reward based on their score.

We did not drop any variables from our analyses. In Experiment 3, an additional condition was run in which the trial structure and the explicit information costs were instantiated in a different manner. We chose not to report data from this condition because the observed behavior suggested that participants did not perform well in this version of the task, thus providing little insight into the nature of search termination.

Empirical Results

The structure of the experimental trials, with three blocks, is designed to study how people change the extent of their search faced with two different sorts of environmental change. The first change occurs after Trial 50, and requires that limited search be extended. This change is associated with an accuracy signal, because the use of limited search will lead to errors in decision making. The second change occurs after Trial 150, and allows for a return to limited search. This change is not associated with an accuracy signal because both limited and ex-

¹ By rational combination of the evidence, we mean the sum of the log odds defined by the cue validities (see Lee & Cummins, 2004; Lee & Zhang, 2012). This is normative, given the assumption that the cues provide independent evidence. It would also be worthwhile considering more sophisticated normative models that incorporated assumptions about the relationships between the cues.




Figure 2. Schematic presentation of the experimental design, including example of the two problem types used to construct the environmental changes. In the first 50 trials, problems were presented for which searching to the first discriminating cue, as well as searching all cues, provided the correct answer. In the second block, the first discriminating cue gave the same answer as searching all cues exactly half the time, and searching all cues always provided the correct answer. The third block had the same properties as the first block. See the online article for the color version of this figure.

haustive search are effective in the third block of trials.

In the language of fast and frugal heuristics, this design means that a one-reason decision-rule like TTB, which relies on the first discriminating cue to make a decision, is effective in the first and third blocks, but not the second. An exhaustive search heuristic like WADD is effective for all of the trials, and required in the second block. In the language of sequential sampling models, low thresholds on required evidence are effective in the first and third blocks, but higher thresholds are required in the second block.

The basic empirical interest is on whether and how people would be sensitive to the two types of changes in the task environment, and adapt the decisions they made, and how many cues they searched. The dependent measure of decision making is straightforward, and it corresponds to whether or not each decision was correct or an error. The dependent measure of the extent of search is more complicated. Fol-

lowing Newell and Lee (2009), we used the proportion of extra cues (PEC) measure, which is illustrated in Figure 1. The PEC measure gives the proportion of cues beyond the first discriminating cue that a participant chose to use. Recall that participants are required to run tests until discriminating information is found. At this point, there is some number n of remaining tests that could be run. Stopping search, and making a decision at this point, corresponds to a PEC measure of zero. Continuing search by running a further k tests corresponds to a PEC measure of k/n . Running all of the possible tests corresponds to a PEC measure of one. In this way, the PEC measure provides a normalized index of the extent of search for each participant on each trial.

Figure 3 provides visual summaries of the error measure of decisions and PEC measure of search for all of the participants in all three experiments. The same raw information—the PEC measure and accuracy of every participant on every trial in every experi-




Figure 3. Summary of the search and decision-making behavior of all the participants in all three experiments. The top row of panels shows the pattern of the extent of search and errors for each individual participant. The bottom row of panels shows the same information, but aggregated over participants, to make clear the distribution of search and errors. Mean behavior for each of the three experimental blocks is overlaid in both displays.

ment—is presented in two different ways. The first presentation format, in the upper column, focuses on individual behavior. The error counts and PEC measure are shown for each participant as lines. In the lower columns, the focus is on the distribution of behavior over individuals. The squares correspond to histograms, showing the distribution of error counts and PEC measures over the trial sequence. The change points between the three blocks at Trials 50 and 150 are also indicated, and the overall average PEC behavior of all participants in the three blocks is shown by thick lines connecting cross markers.

The two different approaches to visual presentation are complementary, and together suggest a number of empirical findings. The most

obvious one is the change in search behavior across blocks, involving an increase in the extent of search moving from the first to second block of trials, and a similarly sized decrease in the extent of search moving from the second to third block of trials. This pattern of change is clear in the aggregated behavior across all participants, and in many of the individual participants. To highlight the key empirical result that people change the extent of their search, even when their decision making is accurate, we examined those participants who made no errors in the final block. There were 47 participants—more than half of all participants—who were perfectly accurate in this block. Their PEC measure of the extent of search changed, however, from an average of 63% in the second block to an average of 38% in the final block. At the

individual level, 43 out of these 47 participants decreased the extent of their search, and some decreased their PEC from near 100% (exhaustive search) to near 0% (searching to the first discriminating cue).

The qualitative pattern is evident in all three experiments, but there are quantitative differences. The overall extent of search is higher in the first experiment, where there was no explicit cost for search. The increase and decrease in the extent of search is most marked in the third experiment, where the pay-off structure of the environment is aligned with the optimal change in search strategies (Otto et al., 2010). The other obvious conclusion relates to the accuracy of decision making, and mirrors the changes in the patterns of search. Decisions made in the first and third blocks are relatively accurate, but there is a spike in errors at the beginning of the second block.

Overall, the empirical findings in Figure 3 are that people adapt their search to changes in the task environment, including both increasing and decreasing their extent of search, with and without changes in accuracy. The patterns of these changes are sensitive to the cost of search, and, while there are clearly large individual differences in the detailed changes to searches and decisions, there are also broad regularities at the group level.

An Evaluation of Four Models

In this section, we develop and evaluate four models against the experimental data. Because the nature of the models and the data present significant challenges for evaluation, we first motivate our approach to evaluation. We then present the four models in a logical theoretical sequence, evaluating each model against its predecessor. Finally, we present an overall evaluation of the four models.

Evaluation Method

Model evaluation for the models and task we consider presents a number of significant challenges. The first challenge is that the evaluation must simultaneously account for the decisions participants made, and how many cues they searched. Evaluating the fit of a model to bivariate behavioral data always requires making

assumptions about the relative importance of capturing both sorts of behavior.

The second challenge is that the models have different levels of complexity, and these differences must be taken into account with goodness-of-fit (Myung, Forster, & Browne, 2000). In general, the models we consider do not have simple nested relationships to each other, with one being a special case of the other. The types of parameters and processes they use also vary widely, and make widely used (and abused) model selection criteria like the AIC and BIC problematic. There is no reason to believe for most of the model comparisons we consider that a count of the number of parameters is a good approximation to model complexity.

The third challenge is that the models are not naturally probabilistic. As is often the case with heuristic models of decision making, the standard implementations of some models are deterministic. This means they do not automatically have a likelihood function, and so state-of-the-art Bayesian methods of evaluation cannot be applied.

There are difficult but principled ways in which these challenges could be addressed. For example, deterministic models can be made amenable to computational Bayesian inference by using synthetic likelihood (Wood, 2010) or approximate Bayesian computation methods (e.g., Turner & Van Zandt, 2012), or theoretical extensions based on principles like entropification (Grünwald, 2000; Lee, 2004). Alternatively, it might be possible to define reasonable probabilistic versions of the basic models.

In this article, however, we adopt a practical approach to model evaluation, summarized in Figure 4, based on generalization (Busemeyer & Wang, 2000). Generalization tests evaluate models by training under one set of circumstances, and testing how well they perform in different but related circumstances. Generalization tests differ from more routinely used prediction tests, like cross-validation, because the former require that testing is done on data coming from an environment that is different from the one used for training.

Our experimental design is well suited to this approach, because it is founded on a sequence of different environmental changes. A powerful test of a model on our task is to train it on a participant's behavior in the first 100 trials, so that it experiences the first type of environmental change, and then test the model on its ability




Figure 4. The basic approach to model evaluation, based on generalization performance. The decision and search behavior of a participant is summarized in the left panel. The fit of a model on the first 100 trials, based on best-fitting parameters is shown in the right panel, using a solid line. The generalization performance of the model on the second 100 trials, on which it was not trained, is also shown, using an open line. The agreement between participant behavior and model generalization predictions provides the assessment measure we use to evaluate models.

to predict that participant's behavior in the final 100 trials, which includes the second type of environmental change. Figure 4 provides a summary of our approach. The left panel shows the search and decision behavior of a participant, using the same approach to visual display as Figure 3.² The right panel shows the behavior of a model that has been trained on the first 100 trials. This training results in parameter values being inferred that can then be used to generate model predictions for the final 100 trials. The search behavior of the model in the test trials is presented by the solid line, while the generalization test behavior is presented by the open line. The error rates predicted by the model are shown as an open histogram overlaid on the gray histogram representing participant behavior. Only the agreement between predicted and observed behavior on the test trials is used to measure generalization, consistent with the logic of assessing prediction to control model complexity.

This generalization measure provides a useful practical assessment of a model. Because it relies on data that not only were not used to train the model, but involve a different environment change from the training data, an overly complicated model cannot perform well simply by describing the training data. Good generalization performance on the test data provides

compelling evidence that a model is capturing basic aspects of the way a participant is choosing to terminate their search and make decisions.

More formally, a participant's behavior is represented by the decision d_i and number of cues searched t_i on the i th trial. A model with a set of parameters θ makes predictions $\hat{d}_i(\theta)$ and $\hat{t}_i(\theta)$ about these behaviors. To find the best-fitting values of these parameters on Trials 1 to 100 in the training, we present the model with *exactly* the same sequence of trials received by the participant, and consider the sum-squared error measure

$$\text{SSE}_{\text{train}}(\theta) = \sum_{i \in \text{train}} \{w(\hat{d}_i(\theta) - d_i)^2 + (\hat{t}_i(\theta) - t_i)^2\}. \quad (1)$$

We found the parameter combination θ^* that minimizes this sum-squared error measure us-

² Because the PEC measure jumps between discrete values from trial-to-trial, it is difficult to present in an informative way without some sort of smoothing. Figure 4, and the remaining visual displays of search behavior in this article, rely on an exponentially decaying smoothing filter. This approach to smoothing gives greatest emphasis to the trial being displayed, but averages it over adjacent trials, giving progressively less weight to trials further from the one being displayed. Specifically, we used a smoothing window of 50 trials, with a decay rate of 0.05.

ing a direct search optimization method known as iterated grid search (Kim, 1997; Thisted, 1988).

We then used θ^* to allow the model to make predictions about the test Trials 101 to 200. The performance of the model follows that used in training, so that

$$\text{SSE}_{\text{test}}(\theta^*) = \sum_{i \in \text{test}} \{w(\hat{d}_i(\theta^*) - d_i)^2 + (\hat{t}_i(\theta^*) - t_i)^2\}. \quad (2)$$

A conveniently scaled final measure of generalization error performance is then the root-mean-squared-error $\sqrt{\text{SSE}_{\text{test}}(\theta^*)}$. This evaluation procedure was used for every model and every participant, based on the model receiving exactly the same sequence of problems seen by that participant.

The value of w determines the relative weight given to capturing decisions. The results reported in this article are based on $w = 1$ to give equal weight to both components of task behavior. We also examined results using $w = 5$ and $w = 20$, giving greater weights to decisions. These error measures are worth considering, because it is hard to evaluate a model that predicts accurately the number of search cues, but does not predict the decision a participant made. One interpretation in these circumstances is that the participant simply failed to execute the decision correctly, and the prediction of the model about the termination of search is a good one. Another interpretation is that the model has failed to capture the outcome of the decision process, and so its predictions about the details of that process—such as the termination of search—cannot be accurate.

Thus, we considered error measures using higher values of w , in an attempt to ensure the decisions of participants and the models agreed. We found that often mismatches between model predictions and observed decisions could not be removed, even when these mismatches were highly penalized. Possibly, this provides some support for the accuracy of execution interpretation. Overall, however, participants made relatively few errors, and most parameterizations of the models resulted in relatively few errors. These base-rates naturally lead to good agreement on decisions, and we found it was not sensitive to the value of w . Hence we settled on $w = 1$ giving equal weights to both decision and search in evaluating models.

Modeling Search and Decisions

All four of the models we consider are placed on equal footing, by using the same process to accumulate evidence as cues are searched, and make decisions once search is terminated. The models vary in how they terminate search and, most interestingly, in how they adapt their termination of search over the sequence of trials in the experiment.

Figure 5 shows the basic search and decision processes that are common to all of the models, at the level of a single trial. On the far left are the two alternatives presented on the trial, represented by two columns of circles that correspond to their cues. Cues that are present for an alternative are shown by black dots, and cues that are absent are shown by white dots.

The cues are searched from the top to bottom, and they generate evidence in favor of one or other alternative when they discriminate. The sequence of these evidence values is shown by the crosses in Figure 5, which progress from left to right as cues are searched. The evidence values are calculated on a log-odds scale, as this is the natural additive scale for aggregating evidence (e.g., Cover & Thomas, 2006). Formally, if the k th cue discriminates in favor of the first alternative, the definition of cue validity means that the evidence it provides in favor of that choice is $\log[v_k/(1 - v_k)]$ (Bergert & Nosofsky, 2007; Lee & Cummins, 2004; Lee & Zhang, 2012). Evidence in favor of the first (left-hand) alternative corresponds to the positive values, while evidence in favor of the second (right-hand) alternative corresponds to negative values.

These evidence values can be accumulated in a number of ways. Figure 5 shows the two approaches used in the models we consider. The solid lines labeled as “Evidence for A” and “Evidence for B” correspond to the cumulative sum of the evidence values that favor the alternative. Thus, the upward-moving tally line is the accumulated evidence for the Alternative A as cues are searched, and the downward-moving tally line is the evidence for Alternative B. The difference between these two tallies is shown by the broken line, and measures the signed evidence in favor of one or other of the alternatives as evidence is accumulated.

Both of these approaches to accumulating evidence are widely used in cognitive modeling,




Figure 5. The basic search and decision processes used by all of the evaluated models. On a trial, the cues provide a sequence of evidence values, on a log-odds scale, that are accumulated. Both the tallies specific to each alternative (solid lines), and the difference between these tallies (dashed line), are accumulated. When search is terminated, the alternative with the greatest evidence is chosen.

especially in sequential sampling models, where the first approach corresponds to race or accumulator models (Vickers, 1970, 1979), and the second corresponds to random-walk or diffusion models (Ratcliff & McKoon, 2008). Obviously, the two approaches generate the same decision at each point during a potential search, choosing the alternative with the most evidence from the observed cues. However, the two approaches can lead to search being terminated after different numbers of cues, which makes their decisions differ. Figure 5 provides an example of this difference, with greater evidence for Alternative A in the early stages of search (from Cue 3 to Cue 6), but greater evidence for Alternative B in the later stages (from Cue 7 to Cue 9).

We focus on the accumulator approach because it is more general, preserving information about how much evidence has been found for each alternative, rather than just the balance of the evidence. Using the accumulator framework shown in Figure 5, we consider four models that differ in how they use the evidence tallies to decide when search is terminated within a trial, and how the termination of search is adapted over a series of trials.

Error-Based and Effort-Based Learning

As mentioned in the introduction, reinforcement learning provides a simple and influential account of how people adapt and learn by trying to avoid making errors. Error-based learning is a cornerstone of psychological theorizing, and it is naturally applied to model the regulation of search in our task. The basic idea is that, if people choose the wrong alternative, they will increase the extent of their search on future trials, aiming to collect more evidence, and so make more accurate decisions.

An extension of this approach is to consider not only decision accuracy, but also the extent of search, as signals or inputs into a learning process. The idea is that people are sensitive not only to errors, but also to the effort required to make a decision, and seek to minimize both. A simple way to implement this more general set of goals is to increase search if an incorrect decision is made, trying to minimize errors, but decrease search when a correct decision is made, trying to minimize effort.

Figure 6 shows how these mechanisms for regulating search are implemented in the models we consider. On the t th trial, a pro-




Figure 6. Overview of the error model, and error-effort model. Both models terminate search after searching γ_t proportion of cues on the t th trial. The error-based model increases the extent of search by a factor α if an incorrect decision is made. The error-effort model additionally decreases search by a factor β if a correct decision is made.

portion of cues γ_t is searched, and the alternative with the greatest evidence is chosen. In the *error* model, search is increased by a learning parameter α following an error. Formally, $\gamma_{t+1} \leftarrow (1 + \alpha)\gamma_t$. In the *error-effort* model, search is increased in the same way following an error, but search is also decreased by a learning parameter β following a correct decision. Formally, $\gamma_{t+1} \leftarrow (1 - \beta)\gamma_t$. The learning rates α , for both models, and β , for the error-effort model, are free parameters. For both models, the initial proportion of cues to be searched γ_1 is an additional free parameter.

Comparing Error-Based and Effort-Based Learning

Figure 7 presents the evaluation of the error model, and the error-effort model for two illustrative participants. Individual participants are organized in rows, and the models in columns. The first of these two participants was chosen because their behavior was highly representative of the regularities seen at the group level, as shown in Figure 3. This participant is considered in all of the model comparisons we report. The second participant in Figure 7 was chosen because they provide a good example of the important insights we observed based on exam-

ining all of the participants in all three experiments. In particular, they provide a clear example of how the simpler error model can be inadequate, and the more complicated error-effort model provides a better account of how people regulate search.

In Figure 7, both participants start with limited search, increase this search after making errors at the first environmental change, but then reduce their search, without making errors, after the second environmental change. For these sorts of participants, the error-effort model is able to capture the reduction of search, whereas the error model cannot. The summary of all of the empirical data in Figure 3 shows that the sort of decision and search behavior of the specific participants in Figure 7 was frequently observed. Thus, the apparent limitations of the error model are serious ones.

Figure 8 evaluates the error and error-effort models on all of the participants in all of the experiments, using the root-mean-square generalization error measure. Each experiment corresponds to a panel, and the generalization error of each participant for each model is shown by markers. Within each experiment, participants are ordered from left to right in terms of the difference in the generalization errors for the




Figure 7. Evaluation of the error model, and the error-effort model, for two participants.

two models. Those participants on the left, shaded in light gray, are those for whom the generalization error is lower for the error-effort model, while participants on the right, shaded in darker gray, are those for whom the generalization error is lower for the error model.³ Participants in the middle of panels, in the unshaded region, are those for whom the two models performed equally well.

Figure 8 shows that the majority of participants in all three experiments are better captured by the error-effort model. This is especially true in Experiments 2 and 3, where there

are costs associated with search. In these circumstances, participants often reduced their search in the first and third blocks, and this behavior cannot be captured by the error model. It is clear that many participants adapt their

³ The fact that sometimes the error model is preferred shows concretely that the generalization measure we use controls for model complexity. The error-effort model contains the error model as a special case, and could always fit any observed data at least as well. But, it is more complicated, which means it may not generalize as well when the error model is a better account of behavior.




Figure 8. The generalization errors for all participants in all three experiments, comparing the error model and the error-effort model. The shaded regions show the subset of participants who were best described by the error-effort model (light shading), best described by the error model (dark shading), or were equally well described by both models (unshaded).

search without being triggered by making errors.

Confidence-Based Learning

The first two models can be conceived as simple reinforcement learning heuristic accounts of searching and deciding. They adapt how many cues are searched, based upon feedback on the accuracy of decision making. A different approach to terminating search is to stop examining cues once sufficient evidence has been accumulated in favor of one or the other alternative. This is the approach taken by sequential sampling models of the time course of decision making, and the basis for the third and fourth models we consider.

Figure 9 shows a sequential sampling model approach to making a decision on a single trial.

There are threshold levels of evidence δ_r^A and δ_r^B for the two alternatives. Following the standard assumptions of accumulator sequential sampling models (Vickers, 1970, 1979), the first alternative to accumulate a threshold level of evidence leads to search being terminated, and that alternative being chosen. In Figure 9, this means that Alternative A is chosen after the 5th cue is examined.

The extent of search in the sequential sampling model is controlled by the thresholds. As has been emphasized previously (Lee & Cummins, 2004; Newell, 2005), small thresholds will lead to relatively few cues being searched, with one-reason decision making being a special case when the thresholds are near zero. The larger the thresholds, the more cues, in general, need to be searched to gather enough evidence




Figure 9. Overview of the confidence model. The model terminates search on the t th trial when one of the evidence thresholds δ_t^A or δ_t^B is exceeded. The threshold that was reached is then adjusted based on the difference between the achieved confidence c_t and the target level of confidence τ , using a learning rate λ .

to make a decision, and search becomes more exhaustive. This relationship between thresholds and search means that it is the adaptation of the boundaries that corresponds to how the extent of search is regulated.

In the model we consider, the adaptation of the thresholds is based on regulating confidence (Hausmann & Läge, 2008; Vickers, 1979). Accumulator sequential sampling models naturally provide a balance-of-evidence measure of confidence, given by the difference between the (magnitude of) the two tallies when a decision is made (Vickers, 2001), as represented by the broken line in Figure 9. Thus, when a decision is made after five cues, Alternative A has about 3 units of evidence, while Alternative B has about 1 unit of evidence. The difference between these two tallies thus gives 2 units of confidence on the log-odds scale for the chosen alternative. In the model we consider, this measure of confidence in each decision is compared to a target or desired level of confidence. Underconfidence corresponds to the case when the achieved confidence is less than the target level, and leads to the threshold that triggered the decision being increased. Overconfidence corresponds to the case when the achieved confidence is greater than the target level, and leads to the threshold being decreased.

Formally, the target level of confidence τ is a parameter of the model, as is a learning rate λ . If the balance-of-evidence measure of confidence in a decision is c_t , and is triggered by a threshold δ_t^A on the t th trial, the learning rule that updates the threshold for the next trial is $\delta_{t+1}^A \leftarrow \delta_t^A + \lambda(\tau - c_t)$.⁴ In this way, underconfidence leads to thresholds being raised, so that search is increased, while overconfidence leads to thresholds being lowered, so that search is decreased. The initial thresholds for both alternatives are assumed to be symmetric, and are given by a third model parameter δ_1 .

One way to think about the progression to the third model from the first two models is that it represents a change in basic modeling approach, from searching a proportion of cues and learning from accuracy, to searching until sufficient evidence is found, and regulating based on con-

⁴ As in Lee and Dry (2006), confidence is signed according to the decision made, so that decision accuracy affects adaptation. That is, having a confidence of, say, 3 units of evidence in favor of the incorrect decision will mean the model is underconfident relative to its target level of confidence. Intuitively, if the model makes errors, it will adapt to gather more information.

confidence. Because both reinforcement learning and sequential sampling approaches are widely considered in modeling sequential decision-making, it is important to have examples from both. Another, complementary, perspective is that the sequential sampling model provides an alternative, and more parsimonious, account of how search can be increased and decreased than the reinforcement learning models. In the second error-effort model, for example, there are essentially separate processes, with separate parameters, for increasing and decreasing search.

The use of confidence as a regulatory mechanism in the sequential sampling model naturally leads to both increases in search (when under-confident), and decreases in search (when over-confident) through the same psychological mechanism.

Figure 10 presents the evaluation of the error-effort model and the confidence model to two participants. The first is the same participant considered at the top of Figure 7, and their behavior is captured well by the confidence model, and reasonably well by the error-effort




Figure 10. Evaluation of the error-effort model, and the confidence model, for two participants.

model. The behavior of the second participant in the final 100 trials, however, is better predicted by the confidence model. The error-effort model does not observe decreases in search following correct decisions during the training block, leading to a parameter estimate $\beta = 0$, and so incorrectly predicts a near-constant extent of search. The confidence model, however, tries more to maintain the target level of confidence $\tau = 2.56$ estimated from the training data in making its predictions. A natural property of the trials in the final block, where one-reason and exhaustive search both lead to the same answer, is that stronger evidence in favor of the correct alternative is found earlier in search. This property of the environment leads to overconfidence when using the large thresholds

needed for extensive search in the second block, and so the confidence model predicts a lowering of thresholds, and subsequent reduction in the extent of search, as observed in the behavior of the participant.

Figure 11 summarizes the performance of the error-effort model and the confidence model on all of the participants in all the experimental conditions. Both of the models account for a significant proportion of participants in all of the experimental conditions. An examination of the difference in the generalization errors also suggests that, when there is a large difference in the predictive accuracy of the two models, it is almost always in favor of the confidence model. But, the overall conclusion is that both models provide useful accounts for many participants.




Figure 11. The generalization errors for all participants in all three experiments, comparing the error-effort model and the confidence model. The shaded regions show the subset of participants who were best described by the confidence model (light shading), best described by the error-effort model (dark shading), or were equally well described by both models (unshaded).

Hierarchical Confidence-Based Learning

The final model we consider is a hierarchical extension of the confidence model. The decision-process is the same, but the mechanism for adapting the threshold is extended. Rather than using a learning rule that adjusts the thresholds after every decision is made, internal accumulator processes are used to aggregate evidence of over- and underconfidence. As shown in Figure 12, there is now an internal accumulator for each of the two decision boundaries. These accumulators operate in the same way as the one that makes the overt decisions, except that they are driven by evidence of over- and underconfidence provided by the difference between the achieved and target level of confidence. When the over- or underconfidence tally reaches a critical level, a learning rule is applied to the decision threshold associated with the overt decision process. The model is naturally hierarchical, in the sense that the same sequential sampling process used to make overt decisions, as in the original confidence-based model, are now applied internally to make regulatory decisions about increasing and decreasing thresholds.

Figure 12 provides a concrete example that helps explain the formal notation of the hierarchical model. The over- and underconfidence tallies for the two alternatives are given by o_t^A, o_t^B, u_t^A and u_t^B . Figure 12 presents the 10th trial in an experiment, in which Alterna-

tive B is chosen after five cues have been examined, but there is almost equal evidence for both alternatives at this point, and so the confidence in the decision c_t is near zero. For any reasonable target level of confidence τ significantly greater than zero, this will register as an underconfident decision, quantified by the difference $\tau - c_t$. This underconfidence will thus be added to the accumulator u_t^B , so that $u_{t+1}^B \leftarrow u_t^B + (\tau - c_t)$.

Figure 12 also shows the history of the hierarchical model over the sequence of trials leading up to the 10th trial and, in particular, highlights a trial t_{adapt} at Trial 5 where a threshold adjustment was made. At this trial, the accumulator for overconfidence in Alternative B, o_t^B reached the critical threshold κ , resulting in the threshold for decision-making δ_t^B being reduced. This previous adjustment is clear in Figure 12 from the smaller threshold for Alternative B than Alternative A, coming from the application of the learning rule $\delta_{\text{adapt}+1}^B \leftarrow \delta_{\text{adapt}}^B + \lambda(u_{\text{adapt}}^B - o_{\text{adapt}}^B)$ at the adaptation trial. The nature of this learning rule means that the extent of the adjustment in the threshold depends on the learning parameter λ , and on the difference between the evidence for under- and overconfidence at the time of adaptation. Note that, after adaptation, both the over- and underconfidence accumulators for Alternative B were reset, and began col-




Figure 12. Overview of the hierarchical confidence model. The model terminates search on the t th trial when one of the decision thresholds δ_t^A or δ_t^B is exceeded. After each decision the achieved confidence c_t with the target level of confidence τ , and accumulated as evidence for over- or underconfidence in tallies associated with the threshold for the chosen alternative. When these tallies reach a critical level κ , the difference between the over- and underconfidence tallies is used to adjust the decision threshold using a learning rate λ . Both the decision evidence tallies and the regulatory over- and underconfidence tallies lie on a log-odds evidence scale.

lecting evidence for the need for further adaptation afresh.

The hierarchical confidence model requires one additional parameter, κ , corresponding to the (fixed) thresholds for the internal regulatory accumulator processes. This parameter can be interpreted as measuring how delayed (or “lagged”) rather than immediate (or “twitchy”) the adaptation of search is. If $\kappa = 0$ the hierarchical model will reduce to the confidence-based model, and adapt decision-making thresholds on every trial. Larger values of κ mean more evidence of over- or underconfidence is needed to trigger threshold adaptation, corresponding to greater delays or lags between adjustments.

The hierarchical confidence-based learning model is a natural extension of the SRA model developed by Vickers (1979), which is sometimes also called the Parallel Adaptive Generalized Accumulator Network model in the literature (e.g., Vickers & Lee, 1998). While originally developed for simple perceptual decision-making tasks, the model is naturally adapted to the sorts of cue-based evidence involved in our task, and it has previously been considered in the same form used here (Lee & Dry, 2006).

Figure 13 presents the evaluation of the confidence model and the hierarchical model to two participants. The first is again the same participant considered at the top of Figures 7 and 10, and their behavior is again captured well by both models. The second participant provides an example where the hierarchical model makes better predictions because it predicts a delay between the change in the environment and the adaptation of search. The confidence model predicts a decrease in the extent of search that is larger and more sudden than observed in the behavior of the participant. The hierarchical model, however, estimates a large critical threshold on adaptation $\kappa = 9.75$ from the way the participant changed their search during the first environmental change. Here, they made a sequence of errors, coming from search being too limited, before adapting to more extensive search. Leading up to the second environmental change, the confidence model mispredicts a significant number of errors being made, whereas the hierarchical model is able to predict accurate decisions as well as the extent of search.

Figure 14 summarizes the performance of the confidence model and the hierarchical confidence model on all of the participants in all the experimental conditions. In the second and third experiments, where search is costly, there are many participants better accounted for by the hierarchical model, although the difference in generalization error between the models is small for almost all of the participants in all of the experiments.

Overall Modeling Results

The model comparisons presented in Figures 8, 11, and 14 evaluated pairs of logically related models. These comparisons are useful to understand when and why the additional elements of one of the models—such as including effort as well as error signals in learning, or making threshold adjustment hierarchical—are important for predicting how people search. We also conducted two analyses that apply to all of the models simultaneously. The first compares all four models on all the participants in all of the experiments. The second examines the parameter values inferred for participants in those cases where a model provided better generalization performance than all of the other models.

Figure 15 presents a comparison of all four models for all three experiments, in two ways. The left column of panels provides a relative measure of which model had the best generalization error for each participant, while the right column of panels shows the distribution of generalization errors across participants. In the left column, each panel corresponds to an experiment, and the height of the bars for each model indicate how many participants in that experiment were best predicted by each model. In the right columns, the distributions of generalization errors are shown for each of the models.

The results in the left column of Figure 15 suggest that all of the models are useful for explaining the behavior of at least some participants. The error-effort model and the confidence model consistently are the best accounts of the majority of participants. The error model is useful in the first experiment, but less so in the second and third experiments where search is more costly. In contrast, the hierarchical model is most useful when search is costly. The distribution of generalization errors in the right column of Figure 15 are consistent with these conclusions. Especially in the third experiment,




Figure 13. Evaluation of the confidence model, and the hierarchical confidence model, for two participants.

there are some participants poorly described by the error and error-effort models, while the confidence and hierarchical confidence models always fare relatively well.

Figure 16 shows the inferred parameters for all four models, for those participants in all three experiments for which the model provided a better explanation, in terms of generalization performance, than all of the other models.⁵ Each model happens to include parameters that lie on

⁵ In the model comparison in Figure 15, if models had equal generalization performance, the count for that participant was divided among these models. In the parameter analysis in Figure 16, only those cases where one model is uniquely best are shown. This approach is taken because the first analysis is about comparing the relative merits of models, while the second is about understanding the parameter values used by specific models when they provide the best account of people's behavior.




Figure 14. The generalization errors for all participants in all three experiments, comparing the confidence model and the hierarchical confidence model. The shaded regions show the subset of participants who were best described by the hierarchical model (light shading), best described by the confidence model (dark shading), or were equally well described by both models (unshaded).

two different scales. For the error model, α is a learning rate and γ_1 is a proportion of cues. For the error-effort model, α and β are learning rates, and γ_1 is a proportion of cues. For the confidence model, λ is a learning rate, and the threshold δ_1 and target confidence τ both lie on a log-odds evidence scale. For the hierarchical confidence model λ is a learning rate, and the threshold δ_1 , target confidence τ , and the internal threshold κ all lie on a log-odds evidence scale. In Figure 16, the two scales for each model are shown by the two y-axes, and the triangular markers for each parameter point toward the appropriate axis. The lines connecting the markers connect the parameter values for the same participant.

It is clear from Figure 16 that there are significant, and often interpretable, individual dif-

ferences in the parameterizations of each of the models. For example, the error model includes participants—with small γ_1 and large α parameter values—who initially search few cues but have a large learning rate to increase search when they make errors. But there are also participants—with small γ_1 and large α parameter values—who conduct extensive search from the outset, and thus need much smaller learning rates. The same sort of trade-off between initial caution and strength of adaption is seen for the error-effort model. In particular, there is a large subgroup of participants who start by searching most of the cues, and require low error-driven learning rates, consistent with their extensive search leading to accurate decisions. It is additionally clear for the error-effort model that the effort-driven learning rate β is lower than the error-




Figure 15. Overall evaluation of the four models for all participants in all three experiments. The panels in the left column show the numbers of participants best accounted for, in terms of lowest generalization error, for each model. The panels in the right column show the distributions of generalization errors (E = error model, EE = error-effort model, C = confidence model, H = hierarchical confidence model).

driven learning rate α , consistent with the relatively few errors made by most participants.

In terms of the sequential sampling models, Figure 16 shows large individual differences in the target levels of confidence for different participants, as well as their initial caution and level of adaptation. There is some suggestion of a subgroup of participants with large learning rates but low target levels of confidence, consistent with a willingness to make possibly inaccurate decisions based on limited search, and adapt quickly (“twitchily”) to a changing environment. Relatively few participants provided unambiguous evidence for the hierarchical confidence model, but the few who did also suggest large individual differences in the parameters that control their search and decision making.

Discussion

Search is a fundamental cognitive ability, because it provides the mechanism for gathering information from the world or the mind on which decisions and actions can be based. Inherent in having a capability to search is having a capability to terminate search, and an ability to learn, adapt and regulate the termination of search. A search process that does not terminate is not useful, and termination strategies that are unable to learn from experience, or adapt to changes in the environment or the goals of a decision maker will usually be inefficient and limiting.

In this study, we examined how people terminate their search in a dynamically changing




Figure 16. Parameter values for the error, error-effort, confidence, and hierarchical models, for those participants for which they provide the uniquely best generalization measure of performance. The participants from all three experiments are combined. Each model has parameters that lie on two different scales, corresponding to the two y-axes, and the direction of the triangle marker indicates which scale corresponds to each parameter. Lines connect markers that belong to the same participant.

environment. Unlike many previous studies of dynamic decision making, the environmental changes in our task were not always signaled by changes in accuracy. We also collected detailed information about the termination of search. By constraining the order in which cues could be examined, we gained the ability to have a fine-grained but simple measure of the extent of search. This allowed our analysis and modeling to move beyond the comparison of extreme heuristics that either rely on one-reason or exhaustive search. The best current models of the regulation of search in cue-based decision-making—like the SSL model (Rieskamp & Otto, 2006)—do not make detailed predictions about our behavioral data because they assume either one discriminating cue or all cues are searched. The models we have developed and evaluated, in contrast, make predictions about the intermediate levels of search produced by people.

Many cognitive models that incorporate learning rely heavily on the availability of corrective feedback, the use of error-driven learning mechanisms. One general conclusion justi-

fied by our results is that error-based learning mechanisms are, by themselves, incomplete as accounts of how people regulate the extent of their search (Kheifets & Gallistel, 2012). We found clear empirical evidence that people change their search behavior without having made errors. Additional learning mechanisms—such as reducing effort when possible, or regulating confidence, as used in our models—are important elements in a full account of how people control their search behavior.

Of course, the set of four models we considered could and should be broadened greatly. Our models were chosen because they covered both the major reinforcement learning and sequential sampling approaches to modeling dynamic decision making. They also form a logical progression. The error-effort model extends the error model. The confidence model provides an alternative psychological mechanism to the error-effort model for increasing and decreasing search. The hierarchical confidence model extends the confidence model to allow for delayed and abrupt adaptation. But other models could usefully be considered to provide additional res-

olution on this theoretical progression. In particular, there is more than one important theoretical difference between the error-effort and confidence model. In the confidence model, the basic search termination process shift from depending on the number (or proportion) of cues searched to the evidence they provided, and the mechanism for adaptation shifts focus from a single alternative to the balance between the two alternatives. Future work should explore how the clear individual differences observed in our data between the error-effort and confidence models hinge on these different theoretical assumptions.

As well as narrowing in to examine the current models more closely, future work should also expand the modeling scope and consider other possible approaches. For example, we considered only accumulator (or race) processes for the tallying of evidence, as made clear in Figure 5. In this approach, the difference between tallies provides a measure of confidence. An alternative approach, widely used in the empirically successful class of drift-diffusion (random-walk) sequential sampling models (Bogacz et al., 2006; Ratcliff, 1978; Ratcliff & McKoon, 2008; Ratcliff & Rouder, 1998), accumulates evidence as the difference between totals, and terminates search once this difference reaches a threshold. This approach necessitates alternative mechanisms for modeling confidence, which have recently been developed and evaluated (e.g., Pleskac & Busemeyer, 2010; Ratcliff & Starns, 2009). This theoretical development has not yet extended to the problem of adapting thresholds over sequences of trials—as required to make predictions in our task—but it is clear the building blocks needed for this development are in place. Thus, although we used the accumulator approach, because self-regulating models are well-developed (Vickers, 1979), and previously used for cue-based decision making (Lee & Dry, 2006), it is possible the diffusion approach could generate models worth evaluating.

An especially important possibility for diffusion modeling is to consider the use of converging bounds or threshold levels of evidence. Our accumulator approach naturally captures the idea that search must terminate, even if the evidence does not strongly favor one alternative over the other. This behavior contrasts with the behavior of a standard diffusion model with

constant bounds. There is a body of research, however, that considers within-trial changes in diffusion model boundaries, usually in the form of boundaries that converge over time (e.g., Busemeyer & Rapoport, 1988; Gluth, Rieskamp, & Büchel, 2012; Heath, 1992; Hockley & Murdock, 1987; Milosavljevic, Malmaud, Huth, Koch, & Rangel, 2010; Rapoport & Burkheimer, 1971; Ratcliff & Frank, 2012; Thura, Beauregard-Racine, Fradet, & Cisek, 2012; Viviani, 1979). Converging boundaries are often understood as a natural generalization of diffusion models to cases where there is time pressure or deadlines, as in urgency gating (Cisek, Puskas, & El-Murr, 2009; Ditterich, 2006; Frazier & Yu, 2008), but are also suited to situations like the current task in which there is limited information available from the environment. The fact that there are only nine cues, of decreasing validity, and many do not discriminate between alternatives, makes the idea of the expected utility of information important for understanding the optimal termination of search in the current task. It is also natural to conceive of diffusion models with converging boundaries as optimizing different criteria such as the rate of reward over a sequence of decision trials, rather than focusing on optimality within a single trial (e.g., Drugowitsch, Moreno-Bote, Churchland, Shadlen, & Pouget, 2012; Ratcliff & Frank, 2012), and this may provide an important insight into optimizing how search termination should be adapted over a sequence of trials in a changing environment.

A recent example of how the limited potential information (or “finite horizon”) property of the current task might be incorporated in an optimality analysis is provided by Lee and Zhang (2012), who studied the rationality of take-the-best when only a limited number of cues can be searched. These authors showed that it can be optimal for search to terminate before all cues are examined, even if the current cue does not provide additional information because it is unlikely (or impossible) that more extensive search will alter the currently preferred decision. More generally, there is a long-standing and currently active (e.g., Kogut, 1990; Lee, 2006; Seale & Rapoport, 1997, 2000) research area in cognitive modeling studying optimal stopping in people’s sequential choices, which also centers its analysis on the expected value of search. This literature includes studies of

whether and how people learn to adapt their stopping behavior (Campbell & Lee, 2006), and whether it is sensitive to different environments (e.g., Guan, Lee, & Silva, 2014; Kahan, Rapoport, & Jones, 1967), which is clearly relevant to understanding how people terminate search and change the extent of their search over time in dynamic environments.

The task we considered involved two (latent) sudden and large changes in the underlying decision environment. This is a useful design given our interest in the limits of accuracy as a signal for adaptation. It also provides an effective way to study to what extent the adaptation of search lags behind environmental change and whether it involves sudden or gradual shifts. The ability of the hierarchical confidence model to provide the best predictions for some participants—particularly in direct competition with a reduced model that does not include delays, but is otherwise identical—suggests that lagged adaptation is an important phenomenon. Delayed sequential effects in decision making are difficult to study and model (e.g., Gao, Wong-Lin, Holmes, Simen, & Cohen, 2009), and the extent of delay is sometimes captured in dynamic decision-making models simply by the inclusion of free parameters (Brown & Steyvers, 2005). The hierarchical model, as with the original SRA model on which it is based, provides a viable alternative. In particular, this model has the attraction of modeling delay psychologically, rather than parameterizing it statistically, by making the elegant theoretical assumption that sequential sampling processes can embed hierarchically, and regulate one another based on confidence. Another class of models worth considering in this regard are extended reinforcement learning models known as actor-critic models (Barto, Sutton, & Anderson, 1983; Konda & Tsitsiklis, 2003). These models also have a hierarchical structure, with an overt decision-making process being monitored and regulated by a latent control process.

We focused on process models of search and decision making, evaluating them as algorithmic accounts of cognition within Marr's (1982) hierarchy. Future work should also consider "rational" or "optimal" models, evaluated from a computational perspective in the hierarchy. It would be interesting to know how extensively people should search, given the information about the task, environment, and current prob-

lem available to them. It would be especially interesting to understand the optimal way in which the extent of search should be adjusted as decisions are made and more is learned about the environment. There are several ways this research direction could be pursued. Most obviously, both the reinforcement learning and sequential sampling model classes we have considered have well-studied links to optimality results. These results would need to be generalized in a number of ways, however, to apply to the current task. For example, while some analyses of sequential sampling models consider nonhomogenous evidence accrual (see Smith, 2000), many do not, and the inhomogeneity arising from the ordered search of validity-weighted information is central to our task. Most importantly, the optimality needs to be with respect to a changing environment, and so include optimal methods for learning when search should be terminated.

Just as the models we considered are a small sample of possible relevant models, the types of dynamic environmental change we considered are only a small sample. As Speekenbrink and Shanks (2010) point out in their empirical and modeling investigation of cue-based categorization, real-world environments change in many ways. Previous work in modeling human decision making has used environments involving gradual drift (e.g., Otto et al., 2010; Rakow & Miller, 2009), patterns consistent with cyclical change (e.g., Yi, Steyvers, & Lee, 2009), step change jumps (e.g., Brown & Steyvers, 2005), and combinations of all of these sort of dynamics (e.g., Speekenbrink & Shanks, 2010). Our experimental design considered only large discrete changes of two types, encouraging a transition from limited to extensive search, and back again. It is not unreasonable to consider dynamics like this, involving a change to the original state, given the prevalence of cyclic patterns of change in real environments, and our design was appropriate for our interest in whether error signals are necessary for adaptation.

Obviously, however, there are combinatorially many sensible experimental designs that could be evaluated, in a large possible program of empirical work. One way to manage the scale of such an undertaking might be to characterize the dynamic patterns seen in real-world environments in an organizing taxonomy. Much as

our use of the German cities data set gave the cues an environmental structure, it should be possible to match the dynamics of environmental change to real-world sequences. All of the models we have considered are immediately applicable to any sequence or structure of environmental change, and testing their ability to predict how people search and decide in those environments should provide stringent evaluations of the psychological assumptions and mechanisms on which the models are based.

We think the experimental and modeling evidence we have presented make a clear case for the insufficiency of error as a means of adapting search, for the sensitivity of people's adaptation to the costs of search, for the potential role of confidence as a unifying regulatory variable, and for the usefulness of considering hierarchical and latent adaptation in human search. But there are many more environments, task conditions, and models that could and should be considered to understand how people decide how extensively they should search before making decisions, and how they adapt the extent of their search to changing goals and environments.

References

- Barto, A., Sutton, R., & Anderson, C. (1983). Neuron-like elements that can solve difficult learning control problems. *IEEE Transactions on Systems, Man and Cybernetics*, *13*, 835–846.
- Bergert, F. B., & Nosofsky, R. M. (2007). A response-time approach to comparing generalized rational and take-the-best models of decision making. *Journal of Experimental Psychology: Learning, Memory, and Cognition*, *33*, 107–129.
- Biernaskie, J. M., Walker, S. C., & Gegeer, R. J. (2009). Bumblebees learn to forage like Bayesians. *The American Naturalist*, *174*, 413–423.
- Bogacz, R., Brown, E., Moehlis, J., Holmes, P., & Cohen, J. D. (2006). The physics of optimal decision making: A formal analysis of models of performance in two-alternative forced choice tasks. *Psychological Review*, *113*, 700–765.
- Brown, S., & Heathcote, A. (2008). The simplest complete model of choice response time: Linear ballistic accumulation. *Cognitive Psychology*, *57*, 153–178.
- Brown, S., & Steyvers, M. (2005). The dynamics of experimentally induced criterion shifts. *Journal of Experimental Psychology: Learning, Memory, and Cognition*, *31*, 587–599.
- Busemeyer, J. R., & Myung, I.-J. (1992). An adaptive approach to human decision making: Learning theory, decision theory, and human performance. *Journal of Experimental Psychology: General*, *121*, 177–194.
- Busemeyer, J. R., & Rapoport, A. (1988). Psychological models of deferred decision making. *Journal of Mathematical Psychology*, *32*, 91–134.
- Busemeyer, J. R., & Wang, Y.-M. (2000). Model comparisons and model selections based on generalization criterion methodology. *Journal of Mathematical Psychology*, *44*, 171–189.
- Campbell, J., & Lee, M. D. (2006). The effect of feedback and financial reward on human performance solving 'secretary' problems. In R. Sun (Ed.), *Proceedings of the 28th Annual Conference of the Cognitive Science Society* (pp. 1068–1073). Mahwah, NJ: Erlbaum.
- Cisek, P., Puskas, G. A., & El-Murr, S. (2009). Decisions in changing conditions: The urgency-gating model. *Journal of Neuroscience*, *29*, 11560–11571.
- Cover, T. M., & Thomas, J. A. (2006). *Elements of information theory*. New York, NY: Wiley.
- Ditterich, J. (2006). Evidence for time-variant decision making. *European Journal of Neuroscience*, *24*, 3628–3641.
- Drugowitsch, J., Moreno-Bote, R., Churchland, A. K., Shadlen, M. N., & Pouget, A. (2012). The cost of accumulating evidence in perceptual decision making. *The Journal of Neuroscience*, *32*, 3612–3618.
- Eliassen, S., Jørgensen, C., Mangel, M., & Giske, J. (2009). Quantifying the adaptive value of learning. *The American Naturalist*, *174*, 478–489.
- Erev, I., & Barron, G. (2005). On adaptation, maximization, and reinforcement learning among cognitive strategies. *Psychological Review*, *112*, 912–931.
- Frazier, P., & Yu, A. J. (2008). Sequential hypothesis testing under stochastic deadlines. In J. Platt, D. Koller, Y. Singer, & S. Roweis (Eds.), *Advances in Neural Information Processing Systems 20* (pp. 465–472). Cambridge, MA: MIT Press.
- Gallistel, C. R., Fairhurst, S., & Balsam, P. (2004). The learning curve: Implications of a quantitative analysis. *Proceedings of the National Academy of Sciences, USA*, *101*, 13124–13131.
- Gao, J., Wong-Lin, K., Holmes, P., Simen, P., & Cohen, J. D. (2009). Sequential effects in two-choice reaction time tasks: Decomposition and synthesis of mechanisms. *Neural Computation*, *21*, 2407–2436.
- Garca-Retamero, R., Takezawa, M., & Gigerenzer, G. (2009). Does imitation benefit cue order learning? *Experimental Psychology*, *56*, 307–320.
- Garca-Retamero, R., Takezawa, M., Woike, J. K., & Gigerenzer, G. (2013). Social learning: A route to

- good cue orders. In R. Hertwig, U. Hoffrage, & the ABC Research Group. (Eds.), *Simple heuristics in a social world* (pp. 343–354). New York, NY: Oxford University Press.
- Gigerenzer, G., & Goldstein, D. G. (1996). Reasoning the fast and frugal way: Models of bounded rationality. *Psychological Review*, *103*, 650–669.
- Gluth, S., Rieskamp, J., & Büchel, C. (2012). Deciding when to decide: Time-variant sequential sampling models explain the emergence of value-based decisions in the human brain. *Journal of Neuroscience*, *32*, 10686–10698.
- Grünwald, P. (2000). Model selection based on minimum description length. *Journal of Mathematical Psychology*, *44*, 133–152.
- Guan, H., Lee, M. D., & Silva, A. (2014). Threshold models of human decision making on optimal stopping problems in different environments. In P. Bello, M. Guarini, M. McShane, & B. Scassellati (Eds.), *Proceedings of the 36th Annual Conference of the Cognitive Science Society* (pp. 553–558). Austin, TX: Cognitive Science Society.
- Hausmann, D., & Läge, D. (2008). Sequential evidence accumulation in decision making: The individual desired level of confidence can explain the extent of information acquisition. *Judgment and Decision Making*, *3*, 229–243.
- Heath, R. A. (1992). A general nonstationary diffusion model for two-choice decision-making. *Mathematical Social Sciences*, *23*, 283–309.
- Hockley, W. E., & Murdock, B. B. J. (1987). A decision model for accuracy and response latency in recognition memory. *Psychological Review*, *94*, 341–358.
- Kahan, J. P., Rapoport, A., & Jones, L. V. (1967). Decision making in a sequential search task. *Perception & Psychophysics*, *2*, 374–376.
- Kheifets, A., & Gallistel, C. (2012). Adapting without reinforcement. *Communicative & Integrative Biology*, *5*, 531–533.
- Kim, J. (1997). *Iterated grid search algorithm on unimodal criteria* (Unpublished doctoral dissertation). Virginia Polytechnic Institute and State University, Blacksburg, VA.
- Kogut, C. A. (1990). Consumer search behavior and sunk costs. *Journal of Economic Behavior and Organization*, *14*, 381–392.
- Konda, V. R., & Tsitsiklis, J. (2003). On actor-critic algorithms. *SIAM Journal on Control and Optimization*, *42*, 1143–1166.
- Lee, M. D. (2004). An efficient method for the minimum description length evaluation of cognitive models. In K. Forbus, D. Gentner, & T. Regier (Eds.), *Proceedings of the 26th Annual Conference of the Cognitive Science Society* (pp. 807–812). Mahwah, NJ: Erlbaum.
- Lee, M. D. (2006). A hierarchical Bayesian model of human decision-making on an optimal stopping problem. *Cognitive Science*, *30*, 555–580.
- Lee, M. D., & Cummins, T. D. R. (2004). Evidence accumulation in decision making: Unifying the “take the best” and “rational” models. *Psychonomic Bulletin & Review*, *11*, 343–352.
- Lee, M. D., & Dry, M. J. (2006). Decision-making and confidence given uncertain advice. *Cognitive Science*, *30*, 1081–1095.
- Lee, M. D., & Zhang, S. (2012). Evaluating the process coherence of take-the-best in structured environments. *Judgment and Decision Making*, *7*, 360–372.
- Link, S. W., & Heath, R. A. (1975). A sequential theory of psychological discrimination. *Psychometrika*, *40*, 77–105.
- Marr, D. C. (1982). *Vision: A computational investigation into the human representation and processing of visual information*. San Francisco, CA: Freeman.
- Marshall, H. H., Carter, A. J., Ashford, A., Rowcliffe, J. M., & Cowlshaw, G. (2013). How do foragers decide when to leave a patch? A test of alternative models under natural and experimental conditions. *Journal of Animal Ecology*, *82*, 894–902.
- Milosavljevic, M., Malmaud, J., Huth, A., Koch, C., & Rangel, A. (2010). The drift diffusion model can account for the accuracy and reaction time of value-based choices under high and low time pressure. *Judgment and Decision Making*, *5*, 437–449.
- Myung, I. J., Forster, M. R., & Browne, M. W. (2000). A special issue on model selection. *Journal of Mathematical Psychology*, *44*, 1–2.
- Nassar, M. R., Rumsey, K. M., Wilson, R. C., Parikh, K., Heasley, B., & Gold, J. I. (2012). Rational regulation of learning dynamics by pupil-linked arousal systems. *Nature Neuroscience*, *15*, 1040–1046.
- Newell, B. R. (2005). Re-visions of rationality. *Trends in Cognitive Sciences*, *9*, 11–15.
- Newell, B. R., & Lee, M. D. (2009). Learning to adapt evidence thresholds in decision making. In N. Taatgen, H. van Rijn, J. Nerbonne, & L. Shönemaker (Eds.), *Proceedings of the 31st Annual Conference of the Cognitive Science Society* (pp. 473–478). Austin, TX: Cognitive Science Society.
- Newell, B. R., & Lee, M. D. (2011). The right tool for the job? Comparing evidence accumulation and a naive strategy selection model of decision making. *Journal of Behavioral Decision Making*, *24*, 456–481. doi:10.1002/bdm.703
- Newell, B. R., Rakow, T., Weston, N. J., & Shanks, D. R. (2004). Search strategies for decision making: The success of ‘success.’ *Journal of Behavioral Decision Making*, *17*, 117–130.

- Otto, A. R., Gureckis, T. M., Markman, A. B., & Love, B. C. (2010). Regulatory fit and systematic exploration in a dynamic decision-making environment. *Journal of Experimental Psychology: Learning, Memory, and Cognition*, *36*, 797–804.
- Payne, J. W., Bettman, J. R., & Johnson, E. J. (1990). *The adaptive decision maker*. New York: Cambridge University Press.
- Pleskac, T. J., & Busemeyer, J. (2010). Two-stage dynamic signal detection: A theory of confidence, choice, and response time. *Psychological Review*, *117*, 864–901.
- Rakow, T., & Miller, K. (2009). Doomed to repeat the successes of the past: History is best forgotten for repeated choices with nonstationary payoffs. *Memory & Cognition*, *37*, 985–1000.
- Rakow, T., Newell, B. R., Fayers, K., & Hersby, M. (2005). Evaluating three criteria for establishing cue-search hierarchies in inferential judgment. *Journal of Experimental Psychology: Learning, Memory, and Cognition*, *31*, 1088–1104.
- Rapoport, A., & Burkheimer, G. J. (1971). Models for deferred decision making. *Journal of Mathematical Psychology*, *8*, 508–538.
- Ratcliff, R. (1978). A theory of memory retrieval. *Psychological Review*, *85*, 59–108.
- Ratcliff, R., & Frank, M. J. (2012). Reinforcement-based decision making in corticostriatal circuits: Mutual constraints by neurocomputational and diffusion models. *Neural Computation*, *24*, 1186–1229.
- Ratcliff, R., & McKoon, G. (2008). The diffusion decision model: Theory and data for two-choice decision tasks. *Neural Computation*, *20*, 873–922.
- Ratcliff, R., & Rouder, J. N. (1998). Modeling response times for two-choice decisions. *Psychological Science*, *9*, 347–356.
- Ratcliff, R., & Starns, J. (2009). Modeling confidence and response time in recognition memory. *Psychological Review*, *116*, 59–83.
- Rieskamp, J., & Otto, P. (2006). SSL: A theory of how people learn to select strategies. *Journal of Experimental Psychology: General*, *135*, 207–236.
- Seale, D. A., & Rapoport, A. (1997). Sequential decision making with relative ranks: An experimental investigation of the “Secretary Problem.” *Organizational Behavior and Human Decision Processes*, *69*, 221–236.
- Seale, D. A., & Rapoport, A. (2000). Optimal stopping behavior with relative ranks. *Journal of Behavioral Decision Making*, *13*, 391–411.
- Simen, P., Cohen, J. D., & Holmes, P. (2006). Rapid decision threshold modulation by reward rate in a neural network. *Neural Networks*, *19*, 1013–1026.
- Smith, P. L. (2000). Stochastic dynamic models of response time and accuracy: A foundational primer. *Journal of Mathematical Psychology*, *44*, 408–463.
- Speekenbrink, M., & Shanks, D. R. (2010). Learning in a changing environment. *Journal of Experimental Psychology: General*, *139*, 266–298.
- Thisted, R. A. (1988). *Elements of statistical computing: Numerical computation* (Vol. 1). Boca Raton, FL: Chapman & Hall/CRC.
- Thura, D., Beauregard-Racine, J., Fradet, C. W., & Cisek, P. (2012). Decision making by urgency gating: Theory and experimental support. *Journal of Neurophysiology*, *108*, 2912–2930.
- Todd, P. M., & Dieckmann, A. (2005). Heuristics for ordering cue search in decision making. In L. K. Saul, Y. Weiss, & L. Bottou (Eds.), *Advances in Neural Information Processing Systems* (Vol. 17, pp. 1393–1400). Cambridge, MA: MIT Press.
- Todd, P. M., Hills, T. T., & Robbins, T. W. (Eds.). (2012). *Cognitive search: Evolution, algorithms, and the brain*. Cambridge, MA: MIT Press.
- Turner, B. M., & Van Zandt, T. (2012). A tutorial on approximate Bayesian computation. *Journal of Mathematical Psychology*, *56*, 69–85.
- Vickers, D. (1970). Evidence for an accumulator model of psychophysical discrimination. *Ergonomics*, *13*, 37–58.
- Vickers, D. (1979). *Decision processes in visual perception*. New York, NY: Academic Press.
- Vickers, D. (2001). Where does the balance of evidence lie with respect to confidence? In E. Sommerfeld, R. Kompass, & T. Lachmann (Eds.), *Proceedings of the Seventeenth Annual Meeting of the International Society for Psychophysics* (pp. 148–153). Lengerich: Pabst.
- Vickers, D., & Lee, M. D. (1998). Dynamic models of simple judgments: I. Properties of a self-regulating accumulator module. *Nonlinear Dynamics, Psychology, and Life Sciences*, *2*, 169–194.
- Viviani, P. (1979). A diffusion model for discrimination of temporal numerosity. *Journal of Mathematical Psychology*, *19*, 108–136.
- Wood, S. (2010). Statistical inference for noisy nonlinear ecological dynamic systems. *Nature*, *466*, 1102–1104.
- Yi, S. K. M., Steyvers, M., & Lee, M. D. (2009). Modeling human performance in restless bandits using particle filters. *Journal of Problem Solving*, *2*, 33–53.

Received June 24, 2013

Revision received June 30, 2014

Accepted July 15, 2014 ■